



van den Hul[®]

The Link between Technique and Emotion

DEALER RRP PRICE LIST

JUNE 2016



VAN DEN HUL DEALER RRP PRICELIST


www.vandenhul.com

MODEL	DESCRIPTION	LENGTH	RRP
BOXED CABLES:			
UNBALANCED INTERCONNECTS (RCA)			
	The Name High Quality Ø 7.3 mm, 75Ω coaxial interconnect cable with a double screen and a solid core. The core and the screen are made from pure silver coated OFC. The insulation is made of HULLIFLEX®(*) and has a cream colour.	1.0m Pr.	\$119.00
		1.5m Pr.	\$129.00
	The Bay C5 High Quality Hybrid coaxial cable with L.S.C., coaxial highly shielded and mechanically very strong, 5.2 mm diam. cable. To be used as interconnect, internal amplifier or mixing console cable. With durable red HULLIFLEX®(*) jacket	1.0m Pr.	\$149.00
		1.5m Pr.	\$159.00
		P/M	\$15.00
	The Wave Coaxial interconnect with a solid core of OFC with dense silver coating. It is double screened with woven silver coated OFC strands separated with an extra thin metal foil. With durable green HULLIFLEX®(*) jacket. The characteristic impedance is 75 Ohm.	1.0m Pr.	\$229.00
		1.5m Pr.	\$259.00
	The Surf Our entry level Fusion series coaxial interconnect. Suitable for all RCA and/or BNC type audio connections. The perfect combination with our "The SUB" subwoofer cable and "The INSPIRATION" high-end speaker cable. With intense pink durable HULLIFLEX® jacket.	1.0m Pr.	\$269.00
		1.5m Pr.	\$309.00
	First Ultimate MKII The centre conductor is made of Linear Structured Carbon®. Outer braiding, functioning as screen and signal return, is made of 6 layers of braided LSC fibres. With durable light yellow HULLIFLEX®(*) jacket. Not available on reels due to complex mounting.	1.0m Pr.	\$499.00
		1.5m Pr.	\$669.00
BALANCED INTERCONNECTS (XLR)			
	D-102 MKIII Excellent multi award winning balanced hybrid (metal and Linear Structured Carbon®) interconnect. With characteristic yellow-orange durable HULLIFLEX®(*) jacket. To be used as single cable, as stereo pair or as 6 leads AV-set. Available on 100 meter reels.	1.0m Pr.	\$269.00
		1.5m Pr.	\$289.00
		P/M	\$39.00
	Integration Hybrid Being the first member of our state of the art FUSION SERIES of audio interconnects, The INTEGRATION HYBRID is a triple shielded quadruple core audio interconnect suitable for both balanced and unbalanced use. the two stranded metal cores have been replaced by four stranded "Fusion Technology" conductors in a so-called star quad configuration. Available on 100 meter reels.	1.0m Pr.	\$369.00
		1.5m Pr.	\$449.00
		P/M	\$85.00
	The Second Linear Structured Carbon® (LSC) quadruple screened twin core conductors. With durable light brown HULLIFLEX®(*) jacket. Produces an amazing good sound quality. Not available on reels due to complex mounting.	1.0m Pr.	\$499.00
		1.5m Pr.	\$649.00
	The Orchid Ultra low level signals with a very high resolution are the design parameters of our 2.9 mm diameter thin triaxial interconnect. The Orchid is in balanced and unbalanced terminated version available. Not available on reels due to complex mounting.	1.0m Pr.	\$629.00
		1.5m Pr.	\$949.00



VAN DEN HUL DEALER RRP PRICELIST

www.vandenhul.com

MODEL	DESCRIPTION	LENGTH	RRP
3T - True Transmission Technology			
	<p>This is our latest innovation which will change the audio cable world as we know it for sure! The cables based on this technique allow a new awareness of extremely high quality signal transmission and excellent sound quality. With all the knowledge we acquired over the years we now come up with an amorphous alloy of metals and non-metals that together make a conductor with stunning properties. To name a few: no oxidation, no metal fatigue, big strain relief, stable at extremely high as well as low temperatures, no electroplating chemicals involved, very flexible and an extremely long life-span.</p>		
	3T UNBALANCED INTERCONNECTS (RCA)		
	The River Hybrid Our coaxial entry level interconnect made of 3T conductors. The centre conductor is made of 19 strands of 150 micron diameter each. The shielding is made of 40 3T strands combined with 2 layers of multiple heavy silver coated high quality copper strands.	1.0m Pr.	\$399.00
		1.5m Pr.	\$599.00
	The Sea Hybrid Our second 3T coaxial interconnect with technical upgrades compared to the 3T River Hybrid. The single Hybrid centre conductor is made of a thicker 3T single strand conductor with 400 micron diameter and coated with an L.S.C. The shielding has beside 40 3T conductors 2 layers of multiple heavy silver coated high quality copper strands.	1.0m Pr.	\$499.00
		1.5m Pr.	\$699.00
3T BALANCED INTERCONNECTS (XLR)			
	The Valley The 3T Valley is our entry level model with a balanced construction. The two centre conductors are made of 21 x 150 micron 3T conductors and separately each coated with an L.S.C. Layer to improve the resolution and spatial properties. The 3 layer shielding is used for damping of spurious signals.	1.0m Pr.	\$499.00
		1.5m Pr.	\$699.00
	The Rock Hybrid The 3T The Rock Hybrid is at the moment our most popular balanced interconnect. The centre conductors are each made of 12 x 3T conductors: 1 x 400 micron surrounded by 11 x 150 micron, In total covered with an extra L.S.C. coating. The 3 layer shielding is a combination of 2 layers made of heavy silver coated copper strands and 1 layer of L.S.C	1.0m Pr.	\$999.00
		1.5m Pr.	\$1,499.00
DIGITAL INTERCONNECTS			
	The Digi-Coupler 75 Ohm An on special request constructed very low radiation digital interconnect. An amazing 126 dB radiation damping at 1 GHz and 84 dB damping at 4 GHz. The impedance is 75 Ohm +/- 0.5 Ohm till 4 GHz. The ideal electrical link between any 75 Ohm source and 75 Ohm load. Think about player-converter connections. This cable is also very perfect in XY-component, RGB and S-VHS combinations. With durable gold tone HULLIFLEX®(*) jacket.	0.6m	\$169.00
		1.0m	\$189.00
		1.5m	\$209.00
	The Opto-Coupler MKII Optical fibre cable never has any problems, caused by e.g. external electrical and/or magnetic interference. Optical fibre is free from any deterioration. Data transmission capacity: > 250 Megabit/second. Connector combinations available: Toslink - Toslink (T-T), Toslink - Miniplug (T-M), Miniplug - Miniplug (M-M)	1.0m	\$119.00
		1.5m	\$149.00
PHONO INTERCONNECTS			
	The ISIS Twin lead 19 strands per lead coaxial cable with a high flexibility and an steel-wire ground-lead / strainrelief in its centre. With durable bright red HULLIFLEX®(*) outer jacket. Specifically designed to connect a turntable to a (phono) pre-amp.	1.0m	\$179.00
		1.5m	\$199.00
	The THAMES HYBRID Twin lead with Hybrid 7 strand per lead version of our The ISIS twin lead coaxial cable with a very high flexibility and an extra steel-wire ground-lead / strainrelief in its centre. With durable dark red HULLIFLEX®(*) outer jacket. Specifically designed to connect a turntable with the rest of the system.	1.0m	\$209.00
		1.5m	\$239.00



VAN DEN HUL DEALER RRP PRICELIST

www.vandenhul.com

MODEL	DESCRIPTION	LENGTH	RRP
SUBWOOFER INTERCONNECTS			
	Mini Sub Hybrid The MINI SUB Hybrid typically has been designed as an active subwoofer cable. This cable is extremely flexible and has an attractive cream colored jacket that blends easy in any interior, making it very suitable for longer length subwoofer cable applications and all interconnections where there is need for a very flexible, price-efficient cable. Available in XLR or RCA configuration.	3.0m	\$129.00
		5.0m	\$159.00
		10.0m	\$239.00
	The Sub Hybrid The SUB Hybrid is a high quality RCA to RCA coaxial audio cable specifically designed to feed active subwoofers in home theatre and professional applications. As a member of our famous FUSION SERIES of interconnects, The SUB combines advanced developments in our amorphous Fusion conductor material with our well proven Linear Structured Carbon® technology to reach superior musical dynamics, timing and resolution in any active subwoofer application	3.0m	\$189.00
		5.0m	\$269.00
		10.0m	\$459.00
HDMI CABLES			
	HDMI Flat SE The HDMI Flat SE is a special edition of our HDMI Flat HEAC. We were able to reduce the cost considerably in reference to our "regular" HDMI Flat HEAC. No Redmere chip is needed and we can work with AWG 28 strands of tin plated high purity Oxygen Free Copper. The downside is this only works up to 3,0 meter length. Supports display resolutions up to 4096 x 2160, High-quality HDMI 'Type A' connectors with heavy gold plated contacts provide solid and reliable connections.	1.0m	\$89.00
		1.5m	\$99.00
		2.0m	\$109.00
		3.0m	\$149.00
	HDMI Flat HEAC The VDH HDMI Flat HEAC our included unique design and material features provide unparalleled added value in terms of signal transport quality and fidelity. Fully compliant with the HDMI™ High Speed & Ethernet(v1.4) specification, Supports display modes/resolutions up to and including 1080p; warranted for lengths up to 10.0 meters. High-quality HDMI 'Type A' connectors with heavy gold plated contacts provide solid and reliable connections.	1.0m	\$179.00
		1.5m	\$199.00
		2.0m	\$219.00
		3.0m	\$239.00
	HDMI Ultimate The VDH HDMI Ultimate is the proud result of the design challenge to build the ultimate HDMI™ interface cable. Flawlessly transferring the HDMI™ High Speed (1.4) standard's gigantic amount of digital data. Supports display modes/resolutions up to and including 1080i; warranted for lengths up to 25 meters. Is equipped with professional quality metal body HDMI 'Type A' connectors with heavy gold plated contacts and full strain relief.	1.0m	\$279.00
		1.5m	\$299.00
		2.0m	\$329.00
		3.0m	\$399.00
BULK BUY HDMI CABLES (BOX-LESS)			
	HDMI Flat SE (6x Buy) The HDMI Flat SE is a special edition of our HDMI Flat HEAC. We were able to reduce the cost considerably in reference to our "regular" HDMI Flat HEAC. No Redmere chip is needed and we can work with AWG 28 strands of tin plated high purity Oxygen Free Copper. The downside is this only works up to 3,0 meter length. Supports display resolutions up to 4096 x 2160, High-quality HDMI 'Type A' connectors with heavy gold plated contacts provide solid and reliable connections.	1.0m	\$534.00
		1.5m	\$594.00
		2.0m	\$654.00
		3.0m	\$894.00
USB CABLES			
	USB Ultimate As an increasing number of streaming audio products, applying USB A to B in their communications chain, The flat construction of the cable allows us a maximum distance. Furthermore, the signal wires are extremely heavy plated silver over OFC. As digital signals tend to go to the outside of the cable (the so called skin-effect) the dense very pure silver plating is in effect carrying the signal from source to receiver.	1.0m Pr.	\$549.00
		1.5m Pr.	\$599.00
POWERCORD CABLE			
	Main Stream BS Hybrid Our 12.5 mm. special quality heavy power cable The MAINSSTREAM BS HYBRID is the smaller diameter version of our 15 mm. The MAINSSTREAM HYBRID. The MAINSSTREAM BS HYBRID's 1.69 mm² current leads, as per international standard: IEC Publication 335-1, allow a continuous operating current in excess of 16 Amps.	P/M	\$135.00



VAN DEN HUL DEALER RRP PRICELIST

www.vandenhul.com

MODEL	DESCRIPTION	LENGTH	DEALER EX	DEALER INC	RRP
TWIN LEAD LOUDSPEAKER CABLE					
	Twin 2 x 1,23 mm ² diameter OFC lead speaker cable, specifically designed for installation projects. Also excellent for in-house applications. With either transparent or red HULLIFLEX jacket. Available on wooden 200 meter reels.	P/M		\$6.00	
		Per Roll		\$1,200.00	
	Skyline Hybrid Flat twin-lead copper and Linear Structured Carbon® coated Hybrid conductor flexible speaker cable (2x AWG 14). With sky-blue durable HULLIFLEX®(*) jacket. Usable connectors: B-122, BC-4.5 or D.I.Y. Available on wooden 100 meter reels.	P/M		\$11.00	
		Per Roll		\$1,100.00	
	Snowline Flat twin-lead very flexible (2x AWG 14) speaker cable with white durable HULLIFLEX®(*) jacket. The white jacket is made of HULLIFLEX® 3, a superior insulation material exhibiting a very good mechanical protection and a high chemical stability. Usable connectors: B-122, BC-4.5 or D.I.Y. Available on wooden 100 meter reels.	P/M		\$17.00	
		Per Roll		\$1,700.00	
	Clearwater Flat twin-lead very flexible (AWG 14) loudspeaker cable with just one aim: the best quality sound transmission for the lowest price possible. With transparent durable HULLIFLEX®(*) jacket. Usable connectors: B-122, BC-4.5 or D.I.Y. Available on wooden 100 meter reels.	P/M		\$21.00	
		Per Roll		\$2,100.00	
	Arctic Flat twin-lead (2x AWG12) flexible loudspeaker cable with white durable HULLIFLEX® jacket. This is the heavier version of our well known The SNOWLINE. Usable connectors: B-352, BC-3 or D.I.Y. Available on wooden 100 meter reels.	P/M		\$25.00	
		Per Roll		\$2,500.00	
	CS-122 Hybrid Twin-lead version of the CS - 12 HF (2x AWG 12). Flat loudspeaker cable, with a L.S.C.® saturated coating around the two dense silver coated very pure copper multistrand conductors. With durable HULLIFLEX®(*) cream jacket. Usable connectors: B-352, BC-6.5 or D.I.Y. Available on wooden 100 meter reels.	P/M		\$34.00	
		Per Roll		\$3,400.00	
	D-352 Hybrid High quality twin-lead (2x AWG 10) flat loudspeaker cable with a L.S.C.® saturated coating around the two heavy silver coated multistrand copper conductors. With durable HULLIFLEX®(*) jacket, brown metallic coloured with gold printing. Usable connectors: B-352, BC-8.3 or D.I.Y. Available on wooden 50 meter reels.	P/M		\$57.00	
	Magnum Hybrid Heavy, very high quality flexible flat twin-lead (2x AWG 8) loudspeaker cable with a L.S.C.® saturated coating around the two silver coated multistrand copper conductors. In a nice dark-red durable HULLIFLEX®(*) jacket. Usable connectors: BC-8.3, B-352. Available on wooden 50 meter reels.	P/M		\$86.00	
BULK BUY TWIN LEAD LOUDSPEAKER CABLE					
We would like your bulk entry level speaker cable business and would like to offer you some special pricing to help you make that decision! All we ask is that you stock at least 2 varieties of speaker cables to qualify for these prices....					
	Twin 2 x 1,23 mm ² diameter OFC lead speaker cable, specifically designed for installation projects. Also excellent for in-house applications. With either transparent or red HULLIFLEX jacket. Available on wooden 200 meter reels.	P/M		\$6.00	
		Per Roll			
	Skyline Hybrid Flat twin-lead copper and Linear Structured Carbon® coated Hybrid conductor flexible speaker cable (2x AWG 14). With sky-blue durable HULLIFLEX®(*) jacket. Usable connectors: B-122, BC-4.5 or D.I.Y. Available on wooden 100 meter reels.	P/M		\$11.00	
		Per Roll			
	Snowline Flat twin-lead very flexible (2x AWG 14) speaker cable with white durable HULLIFLEX®(*) jacket. The white jacket is made of HULLIFLEX® 3, a superior insulation material exhibiting a very good mechanical protection and a high chemical stability. Usable connectors: B-122, BC-4.5 or D.I.Y. Available on wooden 100 meter reels.	P/M		\$17.00	
		Per Roll			
	Clearwater Flat twin-lead very flexible (AWG 14) loudspeaker cable with just one aim: the best quality sound transmission for the lowest price possible. With transparent durable HULLIFLEX®(*) jacket. Usable connectors: B-122, BC-4.5 or D.I.Y. Available on wooden 100 meter reels.	P/M		\$21.00	
		Per Roll			



VAN DEN HUL DEALER RRP PRICELIST

www.vandenhul.com

MODEL	DESCRIPTION		RRP
QUAD LEAD LOUDSPEAKER CABLE			
	Teatrack Hybrid	Twin version of the CS - 122 HYBRID (AWG 12). Flat four-lead loudspeaker cable, with a L.S.C.® saturated layer around dense silver coated very pure copper multistrand conductors. With cream coloured durable HULLIFLEX®(*) jacket. Usable connectors: B-352 or BC-6.5. Available on wooden 50 meter reels.	P/M \$69.00
	Inspiration Hybrid	High quality 4 lead gold coloured outer jacket loudspeaker cable in Fusion Technology. The four internal conductors have separate L.S.C.® layers and an extra centre lead for grounding. This cable gives an excellent sound quality. Usable connectors: BC-3 (biwiring) or BC-5 (normal wiring). Available on wooden 50 meter reels	P/M \$199.00
INTERNANL AMP & SPEAKER CABLE			
	CS - 12	Very flexible 12 Gauge heavy silver coated multi-strand high purity copper wire designed for amplifier, loudspeaker, and loudspeaker rewiring cable with durable HULLIFLEX®(*) jacket. Available on wooden 250 meter reels.	P/M \$9.00
	SCS-12	Very high quality heavy silver coated extreme pure copper 11 Gauge very high quality amplifier and loudspeaker interconnect. Also very useful for tube-amplifier (re-)wiring. PTFE insulated. Available in black, brown, red, orange, yellow, green, blue, purple or white	P/M \$44.00
PHONO CARTRIDGES			
	Precision handmade masterpieces. All Van den Hul cartridges are personally hand built and tuned by Dutch Master cartridge designer A.J. van den Hul. They are packed in attractive boxes, accompanied with all specific product properties and Mr. van den Hul's personal signature. AVAILABLE SERVICES: CARTRIDGE REPAIR, MODIFICATION AND RE-TIPPING:		
	MC-10 Special	The MC-10 Special is a Moving Coil cartridge with VDH-type 1 tip, solid boron cantilever, matched crystal silver-wire coils with high channel separation and 0.65 mV at 5.6 cm/sec output. Selected version of the DDT-II Special. With GRASSHOPPER front pole and an extra internal support magnet.	\$1,699.00
	MC-ONE Special	The MC-ONE Special is a custom hand built moving coil cartridge, Special selected version of the MC - 10 Special with 0.65 mV at 5.6 cm/sec output. With GRASSHOPPER front pole, solid boron cantilever and an extra internal support magnet.	\$1,899.00
	Frog	The FROG Standard is a custom hand built moving coil cartridges with the coil of a GRASSHOPPER III and the front pole and suspension of the GRASSHOPPER IV: the best cartridge available for its price. Output 0.65 mV at 5.6 cm/sec, matched crystal copper-wire coils, solid boron cantilever and an extra internal support magnet.	\$2,999.00
	Crimson	The CRIMSON is a top performance custom hand built moving coil phono cartridge. A crossbreed of our The CANARY and The CONDOR. This cartridge is available in natural light and dark wood colour as well as in a red coloured (also wooden) version. Specific characteristics for this great cartridge are a relatively high (0,65mV) output, gold coils, a Samarium-Cobalt magnet, extended channel separation and superb tracking ability.	\$5,999.00



VAN DEN HUL DEALER RRP PRICELIST

www.vandenhul.com

MODEL	DESCRIPTION			RRP
Accessories				
	The Head shell Link Set	4 Coloured Tone Arm to Cartridge Cable Set	Set	\$79.00
	The Solution	Non-chemical Solution which protects the metal of connectors or cables against chemical deterioration	Ea	\$55.00
	The Polarity Checker	Helps enhance your audio system's resolution by minimising its residual ground currents	Ea	\$45.00
	Lead-Free Silver Solder	Quality Lead-Free Silver Solder	Kg	\$499.00
Connectors				
	C-1.0	Single 1mm Head shell Connector (gold)	Ea	\$3.50
	C-1.2	Single 1.2mm Head shell Connector (gold)	Ea	\$4.00
	C-5.5	Single 5.5mm RCA Connector (red or blue)	Ea	\$25.00
	C-7.3	Single 7.3mm RCA Connector (red or blue)	Ea	\$29.00
	C-8.4	Single 8.4mm RCA Connector (red or blue)	Ea	\$29.00
DIY Connectors	Gold Plated Spade / Banana Type Connector (suit up to 14AWG)		4 PACK	\$55.00
BERRI Bus Connector 6.5mm	Heavy Duty Spade Connector		Ea	\$35.00
BERRI Bus Connector 6.5mm	Heavy Duty Banana Connector		Ea	\$39.00
BERRI Bus Connector 8.3mm Spade	Heavy Duty Spade Connector		Ea	\$35.00
BERRI Bus Connector 8.3mm Banana	Heavy Duty Banana Connector		Ea	\$39.00
BNC - RCA Adapter	Gold plated, with blue, red, green, white or black band.		Ea	\$19.00
THE TAC (Tone arm Connector)	Straight or Right Angle Tone Arm Connector		Ea	\$75.00